


Flow Equipment

HPcp barrel casing pump



Main applications, features and benefits

The HPcp are ISO 13709 (API 610) type BB5 barrel pumps used for:

- Seawater and produced water injection
- Offshore crude shipping
- Remote pipeline services

1 Up to 1'000 bar MAWP

• Enhanced ultra deep subsea oil production

2 Multiple patents on 1'000 bar design

 Allows use of duplex stainless steel instead of overlaid carbon steel for very high pressure

3 Hydraulic fit thrust collar and coupling

 Ensures concentricity and perpendicularity for high speed

4 Precision impellers and diffusers


 Hundreds of hydraulics for long life and low vibration at high energy levels

5 Back-to-back rotor construction over 8 stages

 Provides enhanced rotor support and balanced axial loads even in worn condition

6 Patented twist lock, bolted or SuperNuts™ end cover

Simple and effective closures even at extreme pressures



HPcp back-to-back




Specifications


Operating data	50 Hz	60 Hz
Pump sizes	up to 550 mm	up to 22 in.
Capacities	up to 4'500 m³/h	up to 20'000 USgpm
Heads	up to 8'000 m	up to 26'300 ft.
Pressures	up to 1'100 bar	up to 16'000 psi
Temperatures	up to 200°C	up to 400°F
Speeds	up to 8'850 rpm	up to 8'850 rpm

Materials

API 610: S-6, D-1, D-2

Performance range





sulzer.com

The Sulzer Flow Equipment division keeps your processes flowing. Wherever fluids are treated, pumped, or mixed, we deliver highly innovative and reliable solutions for the most demanding applications.

The Flow Equipment division specializes in pumping solutions specifically engineered for the processes of our customers. We provide pumps, agitators, compressors, grinders, screens and filters developed through intensive research and development in fluid dynamics and advanced materials. We are a market leader in pumping solutions for water, oil and gas, power, chemicals and most industrial segments.

E10177 en 9.2022, Copyright © Sulzer Ltd 2022

This brochure is a general presentation. It does not provide any warranty or guarantee of any kind. Please, contact us for a description of the warranties and guarantees offered with our products. Directions for use and safety will be given separately. All information herein is subject to change without notice.

